

AMERICAN MADE BOOTS SINCE 1904

YOU CAN DO ANYTHING IN BELLEVILLES



Mary Marken Marken

PLACE YOUR ORDER TODAY!

ONLINE

www.bellevilleboot.com

PHONE

800-376-6978 Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express



BELLEVILLE B2B

BellevilleB2B.com is a convenient business to business site exclusively for qualified Belleville dealers offering:

- Easy order placement
- Real-time inventory accessibility
- Convenient order tracking
- and more!

Call Customer Service at 800-376-6978 to inquire about obtaining a username & password.

TABLE OF CONTENTS

NEW FOR 2025	2-3
COYOTE 4-	-23
AVIATOR BROWN 23	-24
BLACK	-43

APPROVED FLIGHT BOOTS	44
CERTIFICATIONS, APPROVALS AND TECHNOLOGY	45
BOOT CARE & SIZING TIPS	46
PLACE AN ORDER/ RETURN & EXCHANGE INFO	47
INDEX 48-	49

STAY CONNECTED!

No matter where your Bellevilles take you, staying connected with our global community is easy. Join us on Facebook, Instagram, YouTube and BellevilleBoot.com to stay current on industry news, read what others are saying about our boots, or submit a comment or question of your own. Connect, interact and communicate; as there is always something happening at Belleville.




facebook.com/belleville.boot

instagram.com/bellevilleboot





tiktok.com/@bellevilleboot





NEW FOR 2025



FLYWEIGHT MXG HOT WEATHER TACTICAL STEEL TOE BOOT PAGE 10



FLYWEIGHT FX2 HOT WEATHER FLIGHT AND COMBAT BOOT PAGE 14



520 MOTO USMC ULTRA LIGHT ASSAULT BODT (EGA) PAGE 20



BV202 UNIFORM DRESS OXFORD PAGE 43



BV911 QUICK RELEASE STATION BOOT PAGE 43



BV911 CT COMPOSITE TOE QUICK RELEASE STATION BOOT **PAGE 43**

#ARMYOURFEET



MINI-MIL 001 BAREFOOT ACTIVITY SHOE PAGE 34



MINI-MIL 003 BAREFOOT ACTIVITY SHOE PAGE 35



FLYWEIGHT C320 / ultralight assault boot



EXCLUSIVE VIBRAM[®] INCISOR



HEIGHT:	8" (Standard Military Height)
UPPER:	100% cattlehide leather & nylon fabric
MIDSOLE:	Highly cushioned, shock absorbent midsole
OUTSOLE:	100% rubber Exclusive VIBRAM® Incisor
INSOLE:	Single density molded removable insert
	 SPECIAL FEATURES: Medial & lateral dual ventilation zones Athletic strobel-stitch construction Weighs approximately 20 ounces per half pair Barry Compliant

- Berry Compliant
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 14, R & W Half Sizes: 4.5 – 13.5, R & W

$\mathsf{FLYWEIGHT}\,\mathsf{FC320}/_{\mathsf{assault boot}}^{\mathsf{female ultralight}}$



HEIGHT:8" (Standard Military Height)UPPER:100% cattlehide leather & nylon fabricMIDSOLE:Highly cushioned, shock absorbent midsole

OUTSOLE:100% rubber Exclusive VIBRAM® IncisorINSOLE:Single density molded removable insert

SPECIAL FEATURES:

- Medial & lateral dual ventilation zones
- Athletic strobel-stitch construction
- ▶ Weighs approximately 20 ounces per half pair
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

WDMEN'S Full Sizes: 4 - 10, R & W Half Sizes: 4.5 - 9.5, R & W

2025 CATALOG | BELLEVILLEBOOT.COM

$\mathbf{ARMR\,LTe\,C290} \, / \, \mathsf{ultralight\,combat\,\&\,training\,boot}$



VIBRAM®





 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole


 OUTSOLE:
 100% rubber VIBRAM® outsole

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- Strobel construction for excellent flexibility
- Cool-mesh hydrophilic lining
- ► Low density PU midsole to minimize weight
- ▶ Weighs approximately 20.6 ounces per half pair
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 14, R & W Half Sizes: 4.5 - 13.5, R & W





2025 CATALOG | BELLEVILLEBOOT.COM

sabre C333 / hot weather hybrid assault boot

		HEIGHT: UPPER: MIDSOLE: OUTSOLE: INSOLE:	8" (Standard Military Height) 100% cattlehide leather & nylon fabric Highly cushioned, shock absorbent midsole 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain Dual density molded Shockmaster™ removable insert
			 SPECIAL FEATURES: Low profile sole reduces weight & improves mobility Sharp angled lugs and defined heel maximize traction Deeply serrated toe bumper aids in vertical climbing & crawling Rappelling bars on outsole extend wear Aggressive lace-to-toe style allows for a customized fit
			 Breathable moisture-wicking lining Berry Compliant AR 670-1 Compliant
EXCLUSIVE VIBRAM [®]			 AFI 36-2903 Compliant MEN'S Full Sizes: 4 – 14, R & W
	Marger S	22500	Half Sizes: 4.5 – 13.5, R & W

HOT WEATHER COMBAT BOOT



C390

VIBRAM[®] SIERRA





8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole OUTSOLE: 100% rubber VIBRAM® Sierra Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Berry Compliant
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 2 16, N, R, W & XW Half Sizes: 2.5 - 15.5, N, R, W & XW

AMRAP® BV505 / ATHLETIC FIELD BOOT



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Expanded TPU OUTSOLE: 100% rubber outsole Removable molded-EVA

SPECIAL FEATURES:

- High resiliency and rebound E-TPU midsole
- Moisture wicking lining
- Athletic strobel construction
- Stabilizer strap for heel and ankle support
- Blind eyelet lacing system for a secure fit
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 15, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the AMRAP® BV505



$\operatorname{Amrap}^{\circ} \operatorname{TR501}/$

ATHLETIC TRAINING BOOT

HEIGHT:

UPPER:



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Expanded TPU OUTSOLE: 100% rubber "PT" outsole INSOLE: Removable molded-EVA

SPECIAL FEATURES:

- ▶ 8 millimeter heel to toe "drop"
- ► High resiliency and rebound E-TPU midsole
- Moisture wicking lining
- Athletic strobel construction
- ► Flat "ribbon" laces
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 15, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the AMRAP® TR501



$\frac{1}{3} \frac{1}{3} \frac{1}$

8" (Standard Military Height) HEIGHT: UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort **DUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- TAA Compliant
- AR 670-1 Compliant
- AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W

ZONE TRACTION RUBBER OUTSOLE



KHYBER TR550 / HOT WEATHER MULTI-TERRAIN BOOT



EXCLUSIVE **VIBRAM**[®] IBEX



- HEIGHT: 8" (Standard Military Height)
- UPPER: 100% cattlehide leather & nylon fabric
- MIDSOLE: Highly cushioned, shock absorbent midsole
- OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain
- TR-1[®] load bearing orthotic insole INSOLE:

SPECIAL FEATURES:

- Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- Deeply serrated toe bumper aids in vertical climbing & crawling
- Rappelling bars on outsole extend wear
- Aggressive lace-to-toe style allows for a customized fit
- Breathable moisture-wicking lining
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 16, R & W

Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the Khyber TR550



MINI-MIL® TR105 / MINIMALIST BOOT



EXCLUSIVE **VIBRAM**[®] TARSUS



Specifically for the warrior athlete interested

in evolving toward a more natural movement.

HEIGHT: UPPER: MIDSOLE: INSOLE:

8" (Standard Military Height) 100% cattlehide leather & nylon fabric 2 millimeter, die-cut shock dispersing midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM[®] Tarsus is oil & slip resistant Single density molded removable insert

SPECIAL FEATURES:

- Zero heel to toe "drop"
- Highly breathable unlined upper
- Double & triple stitched seams for enhanced durability
- Convenient pull-on loop
- Weighs approximately 16 ounces per half pair
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 14, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the MiniMil TR105






2025 CATALOG | BELLEVILLEBOOT.COM

FLYWEIGHT MXG hot weather tactical steel toe boot

EXCLUSIVE **VIBRAM**[®] INCISOR





8" (Standard Military Height) 100% cattlehide leather & nylon fabric **MIDSOLE:** Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM[®] Incisor Single density molded removable insert

SPECIAL FEATURES:

- Medial and lateral dual ventilation zones
- Athletic strobel-stitch construction
- ► Temper-Dri[®] moisture wicking lining
- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 13.5, R & W





2025 CATALOG | BELLEVILLEBOOT.COM

FLYWEIGHT C312 ST/ hot weather tactical steel toe boot



EXCLUSIVE VIBRAM[®] INCISOR





 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole

 OUTSOLE:
 100% rubber Exclusive VIBRAM® Incisor

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Padded collar and tongue for added comfort
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 13.5, R & W

FLYWEIGHT C312Z CT/ hot weather side-zip composite toe boot







UPPER: MIDSOLE: OUTSOLE: INSOLE:

HEIGHT:

8" (Standard Military Height)

100% cattlehide leather & nylon fabric

- Highly cushioned, shock absorbent midsole
- **OUTSOLE:** 100% rubber Exclusive VIBRAM[®] Incisor
 - Single density molded removable insert

SPECIAL FEATURES:

- Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- YKK vislon zipper
- Padded collar and tongue for added comfort
- Berry Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

FLYWEIGHT C315 ST / ULTRALIGHT 6" STEEL TOE TACTICAL BOOT



HEIGHT: UPPER: INSOLE:

6" (Mid-cut) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Moisture wicking lining
- Flat "ribbon" laces
- ▶ Weighs approximately 20 ounces per half pair
- Berry Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 – 13.5, R & W





C300 ST / hot weather steel toe boot





HEIGHT:	8" (Standard Military Height)
JPPER:	100% cattlehide leather & nylon fabric
MIDSOLE:	Highly cushioned, shock absorbent midsole
JUTSOLE:	100% rubber VIBRAM® Sierra
NSOLE:	Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards
- for impact & compression and EH rated
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 3 16, R & W Half Sizes: 3.5 – 15.5, R & W



HEIGHT: UPPER: OUTSOLE: INSOLE:

8" (Standard Military Height)

100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

- Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- YKK side zipper with security overlay
- ► TAA Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 4 14, R & W Half Sizes: 4.5 - 11.5, R & W

ZONE TRACTION RUBBER OUTSOLE







EXCLUSIVE VIBRAM[®] INCISOR



FLYWEIGHT FX2 / HOT WEATHER FLIGHT & COMBAT BOOT



 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole

 OUTSOLE:
 100% rubber Exclusive VIBRAM® Incisor

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- Athletic strobel-stitch construction
- Temper-Dri[®] moisture wicking lining
- PTFE coated for flame resistance
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 13.5, R & W







C790 / waterproof flight & combat boot



 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole

 OUTSOLE:
 100% rubber VIBRAM® Sierra

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Durably waterproof and highly breathable GORE-TEX fabric
- Berry Compliant
- AR 670-1 Compliant
- AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, N, R, W & XW Half Sizes: 3.5 - 15.5, N, R, W & XW

GOVOTE

$C790 \ ST / {\scriptstyle \texttt{waterproof steel toe} \atop_{\texttt{flight & combat boot}}}$



Half Sizes: 3.5 - 15.5, R & W

VIBRAM[®] SIERRA



C795 / 200g insulated waterproof combat boot



COYOTE BOOTS **INSULATED BOOTS**

GOVOTE

COYOTE BOOTS

C775

600g INSULATED WATERPROOF BOOT



$C775 \ ST / \frac{600 \text{g}}{\text{steel toe boot}}$ waterproof

VIBRAM* BO" FIRE	HEIGHT: UPPER: MIDSOLE: OUTSOLE:	
		 SPECIAL FEATURES: Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated 600g THINSULATE[™] Insulation Durably waterproof and highly breathable GORE-TEX fabric VANGUARD running shoe sole construction Berry Compliant AR 670-1 Compliant AFI 36-2903 Compliant
& ICE STEFY STEFY TOE STEFY Thinsulate Market M		MEN'S Full Sizes: 3 – 15, R & W Half Sizes: 3.5 – 14.5, R & W

KHYBER TR550WPINS / INSULATED WATERPROOF MULTI-TERRAIN BOOT





8" (Standard Military Height)

100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole


DUTSOLE: 100% rubber Exclusive VIBRAM[®] lbex outsole for rugged terrain TR-1° load bearing orthotic insole

SPECIAL FEATURES:

- Waterproof & bloodborne pathogen proof membrane
- ▶ 400g THINSULATE[™] Insulation
- Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- Deeply serrated toe bumper aids in vertical climbing & crawling
- Rappelling bars on outsole extend wear
- Aggressive lace-to-toe style allows for a customized fit
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 5 - 15, R & W Half Sizes: 5.5 - 11.5, R & W

SQUALL BV555INSCT / 400G INSULATED WATERPROOF



8" (Standard Military Height)

100% waterproof cattlehide leather & nylon fabric

DUTSOLE: 100% rubber VIBRAM[®] Arctic Grip specifically engineered and designed to perform on wet ice and improve grip on cold, icy or snowy surfaces Thick, single density molded removable insert

SPECIAL FEATURES:

- Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► 400g Cosmo Therm[™] insulation to offer cold weather protection without added bulk
- Waterproof & bloodborne pathogen proof membrane
- TAA Compliant
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 6 - 15, R & W Half Sizes: 6.5 – 11.5, R & W

GOVOTE



EXCLUSIVE VIBRAM® INCISOR



$520\,\text{MOTO}\,/\,$ using ultra light assault boot (ega)

 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole

 OUTSOLE:
 100% rubber EXCLUSIVE VIBRAM® INCISOR

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- Medial & lateral dual ventilation zones
- Athletic strobel-stitch construction
- Cool-mesh hydrophilic lining
- Weighs approximately 20 ounces per half pair
- Berry Compliant
- ▶ USMC Certification #001510

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 13.5, R & W



510 MEF / Ultralight marine corps combat boot (EGA)



VIBRAM[®]



 HEIGHT:
 8" (Standard Military Height)

 UPPER:
 100% cattlehide leather & nylon fabric

 MIDSOLE:
 Highly cushioned, shock absorbent midsole

 OUTSOLE:
 100% rubber VIBRAM® outsole

 INSOLE:
 Single density molded removable insert

SPECIAL FEATURES:

- Strobel construction for excellent flexibility
- ► Cool-mesh hydrophilic lining
- Low density PU midsole to minimize weight
- > 20.6 ounces per boot
- ► CERTIFICATION #001375
- Berry Compliant

MEN'S Full Sizes: 5 – 15, R & W Half Sizes: 5.5 – 14.5, R & W

Scan this code to learn more about the **510 MEF**







2025 CATALOG | BELLEVILLEBOOT.COM

21

GOVOTE

sabre 533 / US NAVY CERTIFIED HOT WEATHER HYBRID ASSAULT BOOT





T: 8" (Standard Military Height)

- ER: 100% cattlehide leather & nylon fabric
- MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM[®] lbex outsole for rugged terrain **INSOLE:** Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- Deeply serrated toe bumper aids in vertical climbing & crawling
- Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- Breathable moisture-wicking lining
- CERTIFICATION #25CY33-002375-225-88
- Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 16, R & W Half Sizes: 4.5 - 13.5, R & W

DYDTE/BROW

$330 \ COY \ ST/$ hot weather steel toe flight boot



HEIGHT: UPPER: **INSOLE:**

8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber VIBRAM[®] Chevron to minimize FOD and improve traction Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Steel toe meets ASTM F2412-18 and F2413-18
- standards for impact & compression and EH rated Berry Compliant
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant
- MEN'S Full Sizes: 3 16, R & W Half Sizes: 3.5 - 15.5. R & W

330 ST / WET WEATHER STEEL TOE FLIGHT BOOT



VIBRAM[®] CHEVRON **INSOLE:**





HEIGHT: UPPER:

- 8" (Standard Military Height)
- Smooth 100% cattlehide leather
- MIDSOLE: Highly cushioned, shock absorbent midsole
- OUTSOLE: 100% rubber VIBRAM® Chevron to minimize FOD and improve traction Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W

2025 CATALOG | BELLEVILLEBOOT.COM

339 ST / US NAVY AVIATOR BOOT



HEIGHT: UPPER: INSOLE:

MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber NEW VIBRAM® FOD resisting Carrier outsole

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Supple aviator brown leather
- ► Famous Belleville "wedge" pattern

8" (Standard Military Height)

Smooth 100% cattlehide leather

- Hydrophilic Dri-lex lining
- CERTIFICATION #15BR127-002511-261-88
- ▶ NAVAIR CERT #15BR27-000004-101-

Single density molded removable insert

Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W



495 S

US NAVY "I-5" STEEL TOE BOOT



CARRIER



HEIGHT: 8" (Standard Military Height) UPPER: Smooth 100% cattlehide leather MIDSOLE: Highly cushioned, polyether polyurethane **OUTSOLE:** 100% rubber NEW VIBRAM[®] FOD resisting Carrier outsole INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Leather upper integrates soft, milled leather on boot quarters, collar & gusset
- Dri-lex[®] moisture wicking lining
- Soft, foam padded "comfort collar"
- VANGUARD running shoe construction
- CERTIFICATION # 15B27-002510-261-88 (495 ST)
- CERTIFICATION # 15B27-002509-262-88 (F495 ST)
- NAVAIR CERT # 15B27-000009-101-(495 ST)
- Berry Compliant

MEN'S Full Sizes: 6 - 16, R & W Half Sizes: 6.5 - 15.5, R & W

WOMEN'S Full Sizes: 4 - 10, R & W (F495 ST) Half Sizes: 4.5 - 9.5, R & W

BLACK BODTS

800 ST / WATERPROOF STEEL TOE FLIGHT & FLIGHT DECK BOOT



VIBRAM[®] CHEVRON



HEIGHT: UPPER: **INSOLE:**

8" (Standard Military Height) Smooth, 100% cattlehide leather MIDSOLE: Highly cushioned, shock absorbent midsole **DUTSOLE:** 100% rubber VIBRAM[®] Chevron to minimize FOD and improve traction Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Durably waterproof and highly breathable GORE-TEX fabric
- ▶ CERTIFICATION #15B27-002409-224-88
- Berry Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 - 15.5, R & W

880 ST / 200g INSULATED WATERPROOF STEEL TOE BOOT **HEIGHT:** 8" (Standard Military Height) UPPER: Smooth, 100% cattlehide leather MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber VIBRAM[®] Chevron FIRE & ICE[™] to minimize FOD and improve traction in icy conditions INSOLE: Single density molded removable insert **SPECIAL FEATURES:** VANGUARD running shoe sole construction Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated Durably waterproof and highly breathable GORE-TEX fabric ► 200g THINSULATE[™] Insulation Berry Compliant **VIBRAM[®]** MEN'S Full Sizes: 3 - 14, R & W CHEVRON Half Sizes: 6.5 - 11.5, R & W FIRE & ICE[™] STEE/ Thinsulate

BLACK BOOTS

$390 \, \text{TROP} / \text{Hot weather combat boot}$



VIBRAM" SIERRA



HEIGHT:8" (Standard Military Height)UPPER:Smooth, 100% cattlehide leather & nylon fabricMIDSOLE:Highly cushioned, shock absorbent midsoleOUTSOLE:100% rubber VIBRAM® SierraINSOLE:Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W



300 TROPST / HOT WEATHER STEEL TOE BOOT



HEIGHT:8" (Standard Military Height)UPPER:Smooth, 100% cattlehide leather & nylon fabricMIDSOLE:Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM[®] Sierra

E: Single density molded removable insert

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Berry Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 15.5, R & W

BLACK BOOTS



700/ waterproof duty boot

HEIGHT:

UPPER: Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole OUTSOLE: 100% rubber VIBRAM® Sierra Single density molded removable insert

8"

INSOLE:

SPECIAL FEATURES:

- VANGUARD running shoe sole construction
- Durably waterproof and highly breathable GORE-TEX fabric
- Berry Compliant
- MEN'S Full Sizes: 6 16, R & W Half Sizes: 6.5 - 11.5, R & W

VIBRAM[®] SIERRA

77

BERR

MENDMEN



200g INSULATED WATERPROOF BOOT



BLACK BOOTS

2025 CATALOG | BELLEVILLEBOOT.COM

27

CANOPY BV503PR / Olive drab jungle boot



CLASSIC PANAMA OUTSOLE



8" (Standard Military Height) Smooth, full-grain cattlehide leather & nylon fabric Dual density, rubber classic Panama outsole Single density, molded polyurethane removable insert Puncture resistant textile insole board

SPECIAL FEATURES:


- ► ASTM certified, puncture resistant textile insole board
- Dual density, direct injection construction
- Highly breathable unlined upper
- Double & triple stitched seams for enhanced durability
- Medial side drainage vents
- Classic non-loading Panama outsole tread

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 11.5, R & W

CANOPY BV903PR / JUNGLE BOOT



CLASSIC PANAMA OUTSOLE



8" (Standard Military Height)
Smooth, full-grain cattlehide leather & nylon fabric
E Dual density, rubber classic Panama outsole
Single density, molded polyurethane removable insert
Puncture resistant textile insole board

SPECIAL FEATURES:

- ASTM certified, puncture resistant textile insole board
- Dual density, direct injection construction
- Highly breathable unlined upper
- Padded collar for added comfort
- Double & triple stitched seams for enhanced durability
- Medial side drainage vents
- Classic non-loading Panama outsole tread

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 11.5, R & W

BLACK BOOTS





$\mathsf{AMRAP}\,BV970ZWPT \big/ \mathsf{tactical}\,\mathsf{vapor}\,\mathsf{boot}$



MULTI-TERRAIN



HEIGHT:Mid-cutUPPER:100% textileMIDSOLE:Expanded TPUOUTSOLE:100% rubberINSOLE:Removable molded-EVA

SPECIAL FEATURES:

- High resiliency and rebound E-TPU midsole
- Waterproof & bloodborne pathogen proof membrane
- YKK coil zipper with self locking pull tab
- Athletic-style "ghilly" lacing system
- Athletic strobel construction

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 – 11.5, R & W

BLACK BODTS

AMRAP BV570WPT / TACTICAL VAPOR BOOT

HEIGHT: UPPER: INSOLE:

Mid-cut 100% textile MIDSOLE: Expanded TPU OUTSOLE: 100% rubber Removable molded-EVA

SPECIAL FEATURES:

- ▶ High resiliency and rebound E-TPU midsole
- Waterproof & bloodborne pathogen proof membrane
- Athletic-style "ghilly" lacing system
- Athletic strobel construction

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 - 11.5, R & W



AMRAP VAPOR Video

AMRAP BV670WPT / TACTICAL VAPOR BOOT



MULTI-TERRAIN

> MULTI-TERRAIN





HEIGHT: Mid-cut UPPER: 100% textile MIDSOLE: Expanded TPU OUTSOLE: 100% rubber Removable molded-EVA

SPECIAL FEATURES:

- High resiliency and rebound E-TPU midsole
- Waterproof & bloodborne pathogen proof membrane
- Athletic-style "ghilly" lacing system
- Athletic strobel construction

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 - 11.5, R & W **BLACK BOOTS**

A BAREFOOT LEGEND

Build core foot strength. Get closer to natural movement.

- Wide Toe Box allows toes to splay natrually

- Highly breatheable and fast drying
- Zero "heel-to-toe" Drop
- Ultralight weight

Specifically built for the warrior athlete evolving toward more natural movement.

mini-mil $^{\circ}$ TR105 / minimalist boot



EXCLUSIVE **VIBRAM**[®] TARSUS



HEIGHT: UPPER: MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant INSOLE:

SPECIAL FEATURES:

Zero heel to toe "drop"

8" (Standard Military Height)

100% cattlehide leather & nylon fabric

Single density molded removable insert

- Highly breathable unlined upper
- Double & triple stitched seams for enhanced durability
- Convenient pull-on loop
- Weighs approximately 16 ounces per half pair
- AR 670-1 Compliant
- ▶ AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W

> Scan this code to learn more about the MiniMil BOOTS



$\mathsf{MINI-Mil}^{\texttt{o}} \, \mathsf{TR102} \, / \, \mathsf{minimalist boot}$



VIBRAM® TARSUS



HEIGHT:

8"

UPPER: Durable leather with full grain polishable toe & nylon fabric MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- Zero heel to toe "drop"
- Highly breathable unlined upper
- Double & triple stitched seams for enhanced durability
- Convenient pull-on loop
- ▶ Weighs approximately 16 ounces per half pair

MEN'S Full Sizes: 5 - 14, R & W Half Sizes: 5.5 - 11.5, R & W

BLACK BOOTS

2025 CATALOG | BELLEVILLEBOOT.COM



MINI-MIL[®] MMOO1 / BAREFOOT ACTIVITY SHOE

EXCLUSIVE **VIBRAM**[®] TARSUS





HEIGHT: UPPER:

Low-cut athletic Synthetic black suede with camo SuperFabric® MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus oil & slip resistant Single density molded polyurethane

SPECIAL FEATURES:

- Zero heel-to-toe drop
- Strobel stitch construction for maximum flexibility
- Highly breatheable with moisutre wicking lining
- Convenient pull-on loop

MEN'S Full Sizes: 3 - 14. R & W Half Sizes: 3.5 - 12.5, R & W



MINI-MIL[®] MM002 / BAREFOOT ACTIVITY SHOE



EXCLUSIVE **VIBRAM**[®] TARSUS



INSOLE:

HEIGHT: Low-cut athletic

UPPER: Synthetic black suede with black 500D ripstop nylon fabric MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus oil & slip resistant Single density molded polyurethane

SPECIAL FEATURES:

- Zero heel-to-toe drop
- Strobel stitch construction for maximum flexibility
- Highly breatheable with moisutre wicking lining
- Convenient pull-on loop

MEN'S Full Sizes: 3 - 14, R & W Half Sizes: 3.5 - 12.5, R & W



MINI-MIL $^{\circ}$ MM003 / barefoot activity shoe



EXCLUSIVE **VIBRAM[®]** TARSUS

vibron

HEIGHT: UPPER: INSOLE:

Low-cut athletic Synthetic black suede with 500D ripstop Multicam® Black MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus oil & slip resistant Single density molded polyurethane

SPECIAL FEATURES:

- Zero heel-to-toe drop
- Strobel stitch construction for maximum flexibility
- Highly breatheable with moisutre wicking lining
- Convenient pull-on loop

MEN'S Full Sizes: 3 - 14, R & W Half Sizes: 3.5 - 12.5, R & W



MINI-MIL $^{\circ}$ MM004 / barefoot activity shoe



EXCLUSIVE **VIBRAM[®]** TARSUS



UPPER: INSOLE:

HEIGHT: Low-cut athletic

Synthetic coyote suede with 500D ripstop Multicam® Arid MIDSOLE: 2 millimeter, die-cut shock dispersing midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus oil & slip resistant Single density molded polyurethane

SPECIAL FEATURES:

- Zero heel-to-toe drop
- Strobel stitch construction for maximum flexibility
- Highly breatheable with moisutre wicking lining
- Convenient pull-on loop

MEN'S Full Sizes: 3 - 14, R & W Half Sizes: 3.5 - 12.5, R & W



MAXX 6Z THE MAXIMALIST BOOT

Oversized, ultra cushioned, FATT MAXX[®] midsole provides all day comfort on hard surfaces.

MAXX 6Z / MAXIMALIST TACTICAL BOOT



EXCLUSIVE **VIBRAM**[®] BALLISTIC



6" (above-the-ankle)

Durable leather with full grain polishable toe & Destination P mesh

MIDSOLE: Ultra cushioning, shock absorbing FATT MAXX® midsole

OUTSOLE: 100% rubber Exclusive VIBRAM[®] Ballistic

Removable, single-density molded EVA

SPECIAL FEATURES:

- Stack height of 29mm at the heel and 23mm at the forefoot
- 6 millimeter heel to toe "drop"
- "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- > 25-55% more shock absorbent than other leading athletic tactical boots
- YKK waterproof nylon zipper with molded security overlay
- Spacer-mesh breathable, hydrophilic lining
- MEN'S Full Sizes: 4 15, R & W Half Sizes: 4.5 - 11.5, R & W

Scan this code to learn more about the MAXX 6Z



$\max {\sf BZ} \ / \ {\sf maximalist tactical boot}$



INSOLE:

Durable leather with full grain polishable toe & Destination P mesh MIDSOLE: Ultra cushioning, shock absorbing FATT MAXX® midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM[®] Ballistic Removable, single-density molded EVA

SPECIAL FEATURES:

- Stack height of 29mm at the heel and 23mm at the forefoot
- 6 mllimeter heel to toe "drop"
- "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- ▶ 25-55% more shock absorbent than other leading athletic tactical boots
- YKK waterproof nylon zipper with molded security overlay
- Spacer-mesh breathable, hydrophilic lining
- MEN'S Full Sizes: 4 15, R & W Half Sizes: 4.5 - 11.5, R & W

BLACK BOOTS

VIBRAM[®] BALLISTIC






$\underset{\texttt{KHYBER}}{\texttt{TR960Z}} / \underset{\texttt{side-zip tactical boot}}{\texttt{hot weather lightweight}}$



EXCLUSIVE **VIBRAM**[®] IBEX





UPPER: INSOLE:

Durable leather with full grain polishable toe & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain TR-1[®] load bearing orthotic insole

SPECIAL FEATURES:

- Side zipper entry with molded security overlay
- Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- Rappelling bars on outsole extend wear
- Aggressive lace-to-toe style allows for a customized fit
- Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5. R & W

KHYBER TR960ZWP / WATERPROOF LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT



EXCLUSIVE **VIBRAM**[®] IBEX



HEIGHT: UPPER:

Durable leather with full grain polishable toe & nylon fabric **MIDSOLE:** Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain INSOLE: TR-1[®] load bearing orthotic insole

SPECIAL FEATURES:

- Waterproof & bloodborne pathogen proof membrane
- Side zipper entry with molded security overlay
- Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- Rappelling bars on outsole extend wear
- Aggressive lace-to-toe style allows for a customized fit

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5, R & W

$TR1040-LSZ/\mathsf{ultralight\ side-zip\ tactical\ boot}$



HEIGHT: 7"

 UPPER:
 Durable leather with full grain polishable toe & air mesh nylon

 MIDSOLE:
 Shock absorbing EVA

 DUTSOLE:
 Dual density nitrile rubber that is non-marking, slip resisting & oil resisting

 INSOLE:
 PTD® (Power Take Off) removable, load-bearing orthotic footbed

SPECIAL FEATURES:

- Polyurethane-coated, water resistant YKK side zipper
- Molded TPU heel stabilizer
- Athletic-style "ghilly" lacing system
- Highly breathable mesh side panels
- Moisture wicking lining

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 – 11.5, R & W



WER TAKE OFF FOOTBED

$TR1040-ZWP/{\scriptstyle waterproof ultralight} {\scriptstyle side-zip tactical boot}$





TR HITRAC



IT: 7"

Durable leather with full grain polishable toe & air mesh nylon

MIDSOLE: Shock absorbing EVA

OUTSOLE:Dual density nitrile rubber that is non-marking, slip resisting & oil resistingINSOLE:PTD® (Power Take Off) removable, load-bearing orthotic footbed

SPECIAL FEATURES:

- Water/bloodborne pathogen proof membrane
- Polyurethane-coated, water resistant YKK side zipper
- Molded TPU heel stabilizer
- Athletic-style "ghilly" lacing system
- Highly breathable mesh side panels
- Moisture wicking lining

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 – 11.5, R & W

BLACK BODTS

SPEAR POINT BV918ZWPCT / waterproof composite toe side-zip tactical boot

8"



ZONE TRACTION RUBBER OUTSOLE





HEIGHT:

UPPER: MIDSOLE: DUITSOLE: INSOLE:

Durable leather with full grain polishable toe and 1680 denier nylon fabric Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

- ▶ Spacious, non-metallic composite toe is lighter weight than traditional steel toe, and does not conduct heat or cold
- ▶ Composite toe meets ASTM F2412-18 and F2413-18
- standards for impact & compression and EH rated YKK side zipper with security overlay
- Waterproof & bloodborne pathogen proof membrane
- TAA Compliant


MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W

CHROME TR998Z WP CT / B" WATERPROOF COMPOSITE TOE SIDE-ZIP BOOT



TR **STREETNAV**[™]





HEIGHT:

UPPER:

Durable leather with full grain polishable toe & Destination P mesh MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: Exclusive long-wearing StreetNav[™] rubber outsole is non-marking, oil & slip resistant

Dual density molded removable insert

SPECIAL FEATURES:

- Waterproof & bloodborne pathogen proof membrane
- Composite toe meets ASTM F2412-18 and F2413-18
- standards for impact & compression and EH rated
- Side zipper entry with molded security overlay
- "Hot Fusion" exo-skeletal frame provides structural support at minimal weight
- Unique cleat & lug outsole design allows for superior traction in multiple environments
- Low profile lace-lock hook and "Ghilly" style lacing system provides a secured & customized fit
- MEN'S Full Sizes: 3 15, R & W Half Sizes: 3.5 - 11.5, R & W

SPEAR POINT BV915Z & BV915ZWP /



ZONE TRACTION RUBBER OUTSOLE



HEIGHT: UPPER:

INSOLE:

HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT

5"

Durable leather with full grain polishable toe and 1680 denier nylon fabric

MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort

DUTSOLE: Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- YKK side zipper with security overlay
- Water and bloodborne pathogen proof membrane (BV915ZWP)
- TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W

Half Sizes: 5.5 - 11.5, R & W

Scan this code to learn more about the **SPEAR POINT SERIES**



spear point BV918Z & BV918ZWP /



ZONE TRACTION RUBBER OUTSOLE



HEIGHT:

UPPER: INSOLE:

8"

Durable leather with full grain polishable toe and 1680 denier nylon fabric MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort **DUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance Single density molded removable insert

SPECIAL FEATURES:

YKK side zipper with security overlay

HOT WEATHER LIGHTWEIGHT

SIDE-ZIP TACTICAL BOOT

- Waterproof & bloodborne pathogen proof membrane (BV918ZWP)
- TAA Compliant

MEN'S Full Sizes: 4 – 15, R & W Half Sizes: 5.5 - 11.5, R & W

BLACK BOOTS

SPEAR POINT BV911 & BV911CT /

QUICK RELEASE STATION BOOT

6"

HEIGHT:

UPPER:

MIDSOLE:

gore side panels Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance

OUTSOLE: **INSOLE:**

SPECIAL FEATURES:

Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold [BV911CT]

Durable leather with full grain polishable toe and double elastic

- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated [BV911CT]
- Double pull straps for easy on and off accessibility
- ► TAA Compliant
- MEN'S Full Sizes: 4 15, R & W Half Sizes: 5.5 - 11.5, R & W

Single density molded removable insert



BV202 / Uniform dress oxford



HEIGHT: UPPER: OUTSOLE:

Low quarters Hi gloss Poromeric Light, non-marking TPR Die-cut PU foam

SPECIAL FEATURES:

- Breathable mirror microfiber upper
- Moisture wicking polyester mesh lining
- Anti-microbial, odor controlling PU insole foam
- Flexible cement construction
- MEN'S Full Sizes: 6 15, R & W Half Sizes: 6.5 - 14.5, R & W





ZONE TRACTION

RUBBER

OUTSOLE

BLACK BOOTS

SAFETOFLY APPROVED FLIGHT BOOTS

NAVY / MARINE CORPS



330 COY ST P. 23



330 ST P. 23



339 ST P. 24



95 ST P. 24

BOO ST



AIR FORCE / ARMY



CERTIFICATIONS, APPROVALS AND TECHNOLOGY

The following icons are used throughout the catalog to illustrate military certifications and approvals as well as the high-performance materials used in our boots.



US AIR FORCE FLIGHT APPROVED



US ARMY FLIGHT APPROVED



USMC CERTIFIED



USMC FLIGHT APPROVED



US NAVY CERTIFIED



US NAVY FLIGHT APPROVED



US NAVY FLIGHT DECK APPROVED



Belleville offers many styles of boots that comply with the Berry Amendment which requires that 100% of the labor and 100% of the material costs come from the U.S.



Belleville offers boot styles that feature a VIBRAM[®] Foreign Object or Debris Resistant (FOD) outsole.



Indicates that the boot is waterproof.



Indicates that the boot is insulated.



Indicates that the boot's insole board is puncture resistant.



VIBRAM[®] soles are always produced with three objectives: to guarantee the best performance, the maximum level of comfort and quality over time.



GORE-TEX footwear provides durably waterproof protection that is highly breathable in a variety of climate conditions.



THINSULATE[™] insulation by 3M maintains warmth even in damp conditions. This original "warm without bulk" product is not only exceptionally thin but is also extremely lightweight and durable.



HIGH PERFORMANCE ORTHOTIC INSOLE

Advanced Anatomical Design includes a stabilizing contoured heel cup; extended arch support and honeycomb geometric forefoot to provide maximum air circulation. **State-of-the-Art Materials** include advanced EVA resin that forms the heel & mid-foot cradle, Agion[®] treated anti-bacterial sock liner and high tech EVA/Rubber blend for impact cushioning.



PTO[®], POWER TAKE OFF FOOTBED

The PTO® orthotic footbed is a proprietary loadbearing removable insert that uniquely combines the benefits of shock absorbing foam with superior arch support.



MPOS/

TOF

HIGH CLEARANCE SAFETY TOES

Each of our high-clearance steel and composite toes meet ASTM F2412-18 and F2413-18 standards for impact & compression.

Design extras, such as padding under and around the safety toe and our flange-anchored construction, provide both increased comfort and safety.



Indicates that the boot is compliant with the Trade Agreements Act.

GORE-TEX, GORE[®], and designs are registered trademarks of W.L. Gore and Associates, Inc. VIBRAM[®], the Octagon Logo, the Yellow Octagon Logo, and the color Canary Yellow are registered trademarks of VIBRAM S.p.A. 3M and THINSULATE[®] are trademarks of 3M Company.

HOW TO CARE FOR YOUR BELLEVILLES



SUEDE LEATHER BOOTS

(Coyote)

- Remove dirt by brushing boots with a soft/medium bristle brush.
- Using a mixture of warm water and a mild detergent, lightly scrub the leather and nylon fabric with a soft brush to remove any excess dirt.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.
- ▶ Do not polish.



SMOOTH LEATHER BOOTS

(Black & Aviator Brown)

- Remove dirt by brushing boots with a soft bristle brush.
- Nylon fabric may be cleaned with a soft brush using warm water and a mild detergent. Do not polish nylon.
- Apply a light coat of quality polish to the leather and buff to a uniform appearance. Excessive polish may reduce boot breathability.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.

SIZING TIPS & INFORMATION

All of our boots are available in Men's Regular (R) and Wide (W) Widths, with some styles offering Narrow (N) and Extra Wide (XW) widths as well. Since sizes & widths vary among boot styles, please check individual boot styles for available sizes & widths.

STANDARD WIDTH	BELLEVILLE WIDTH
В	Narrow (N)
D	Regular (R)
EE	Wide (W)
EEEE	Extra Wide (XW)

Unfortunately, not all boot brands fit the same. For this reason, here are a few sizing tips that will help you get a better **BELLEVILLE** fit:

- ► GET YOUR FEET MEASURED USING A BRANNOCK DEVICE.
- GET SOME BOOT SOCKS: Try on the boots with a pair of boot socks that you will normally wear with the boots.
- PLACE & LACE: It is important that your foot is properly placed inside the boots when selecting a size. Proper foot placement requires that the lace is drawn snug at the bottom of the lacing

system. This will prevent your foot from sliding forward too far and keep your heel properly placed against the back of the boot. To improve the fit of the boot, try loosening or tightening the laces at different parts of the boot until you get the perfect fit.

- CHECK THE LENGTH: Length-wise, when your heel is placed against the back of the boot, you should have a slight amount of room in the front of the boots to wiggle your toes.
- CHECK THE WIDTH: Width-wise, your boots should feel a little snug, but not tight.
- TAKE A STROLL: Walk around inside a carpeted area to see how the boots feel.
- Make sure your heel stays in place and is not sliding up and down (this can cause blisters).
- WOMEN'S SIZES: Belleville does offer a few boot styles that are specifically manufactured for women. All Belleville style numbers that begin with an "F" indicate a boot specifically designed and sized for women. If a particular style of boot is not available in women's sizes, we recommend ordering the boot 2 full sizes smaller.

PLACE AN ORDER / RETURNS & EXCHANGES

HOW TO PLACE AN ORDER

ONLINE PHONE www.bellevilleboot.com 800-376-6978 Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express



BELLEVILLE BOOTS CAN ALSO BE PURCHASED AT:

- Military Clothing Sales / Base Exchange Stores
- Base Supply Store Service Centers
- Uniform Supply Retail Locations Nationwide
- For your nearest retail store location, email Customer Service at boots@bellevilleboot.com

MOST BOOT ORDERS SHIP WITHIN 1 BUSINESS DAY. WORLDWIDE & DROP SHIPPING IS AVAILABLE.



RETURN & EXCHANGE POLICY

RETURNS

If for any reason you are not completely satisfied with the boots you purchased <u>directly</u> from Belleville Boot Company within 30 days and would like a refund or exchange, contact customer service at boots@bellevilleboot.com to receive a return authorization and instructions for returning the boots. We'll issue a refund for 100% of the price of the boots, excluding any shipping charges. We will cover the cost of shipping an exchange pair to you, however, we do ask that you cover the cost of shipping the original pair to us.

Belleville Boot Company will not issue any refunds or exchanges on boots returned after the 30-day period, or that show any signs of wear or are altered in any way from their original condition. All footwear should be returned with postage prepaid and in its original packaging. COD shipments will NOT be accepted.

Belleville Boot Company guarantees its boots to be free of defects in materials and workmanship for one year from the date of purchase. If a defect in materials and/or workmanship occurs within the one-year period, Belleville will, at its option, either repair or replace the boots.

BOOTS THAT ARE NOT CONSIDERED DEFECTIVE INCLUDE:

- Boots that show signs of normal wear and tear or are damaged due to excessive wear
- Boots damaged by improper boot maintenance or lack of maintenance
- Boots that are of an incorrect size, but have been worn
- Boots returned after the return / warranty period

All defective footwear received will be inspected to determine eligibility for a refund, exchange or merchandise credit.

Please note: Belleville boots issued to you or purchased from any location other than Belleville direct must be returned to that issuing or selling agent and are subject to that agent's return policy.

COYOTE BOOT INDEX



	100	
11		

Martin and	PAGE	HO7 WEATHER	HATERPROP.	HSULATES	SOMPOSIA	STEEL	SIDE	THE REAL	Shewy File		STREE FORCE	STATULE CR	AS MAUP	SHAWY FLARE	STATE STATE	STIC FLIGH
MODEL NAME	#	WEATHER		8001	TOE	TOE		ELEP COMPLET	PPROVEN	THIN COMPONE	1PPROVED	CERTIFIES	CERTIFIED	TPPROVES	TOPROVED	APPROVED
C290	5	\star						*		*						
C300 ST	12	*				*		*		*						
C312 ST	11	\star				\star		*		*						
C312Z CT	11	*			*		\star			\star						
C315 ST	12	\star				\star				\star						
C320 / FC320	4	\star						*		\star						
C333	6	\star						*		\star						
C390	6	\star						\star		\star						
C775	18		\star	\star				*	*	*	\star					
C775 ST	18		\star	*		\star		*	*	\star	\star					
C790	15		\star					\star	*	\star	\star					
C790 ST	16		\star			\star		*	*	\star	\star					
C793	15		\star					*	*	\star	\star					
C795	16		*	*				*		\star						
330 ST (Aviator brown)	23					\star							\star	\star		*
330 COY ST	23	*				\star		*	*	*	*		\star	*		*
339 ST (Aviator brown)	24					\star							\star	*		*
500	21		*									\star				
510 MEF	20	*										*				
520 MOTO	20	*										\star				
533	22	*						*		*			*			
533 ST	22	*				\star		*		*			*			
550 ST	21	*				\star						*				
590	21	*										*				
BV508ZCT	13	*			\star		*			*						
BV518	8	*						*		*						
BV555INSCT	19		\star	*	*			*		*						
TR105	33	*						*		*						
TR501	7	*						*		*						
BV505	7	*						*		*						
TR550	8	*						*		*						
TR550WPINS	19		*	\star				*		*						
FX2	14	*		<u> </u>		1		*	*	*	*		1			
MXG	10	*				*		*		*						
MM004	35	*														

LAW ENFORCEMENT/PUBLIC SAFETY BLACK BOOT INDEX

and the second		H07	NATERPADE	HSULATES	STEEL	SUNPOS	SIDE	\frown	SNC FLIGH	NANY FLIC	FLIGHT	theoret
MODEL NAME	PAGE #	WEATHER WEATHER	T C F	8001	TOE	TOE		PUNCTURE	TAPROVED	TAPROVES	TAPROVED	3 8001
300 TROP ST	26	\star			\star							\star
390 TROP	26	\star										\star
495 ST / F495 ST	24				\star				\star	\star	\star	\star
700*	27		\star									\star
770*	27		*	\star								\star
800 ST*	25		\star		\star				\star	\star	\star	\star
880 ST	25		\star	\star	\star							\star
BV903PR	28	\star						*				\star
BV503PR	28	\star						\star				\star
BV911	28	\star										\star
BV911CT	28	\star				\star						\star
BV915Z	42	\star					\star					\star
BV915Z WP	43		\star				\star					\star
BV918Z	43	\star					\star					\star
BV918ZWPCT	41		\star			\star	\star					\star
BV918Z WP	43		\star				\star					\star
MAXX 6Z	37	\star					\star					\star
MAXX 8Z	37	\star					\star					\star
TR102	33	\star										\star
TR960Z	39	\star					\star					\star
TR960Z WP	39		\star				\star					\star
TR998Z WP CT	41		\star			\star	\star					\star
TR1040-LSZ	40	\star					\star					\star
TR1040-ZWP	40		\star				\star					\star
BV570WPT (Coyote Brown)	31		*									\star
BV970ZWPT	30		\star				\star					\star
MM001	34	\star										\star
MM002	34	\star										\star
MM003	35	*										\star

*NSN Available



2025 CATALOG | BELLEVILLEBOOT.COM



100 PREMIER DRIVE 🖈 BELLEVILLE, IL 62220 🖈 800.376.6978 🖈 BELLEVILLEBOOT.COM